

Curtain Track Systems



Application Chart

Specification	Dimensions		Operation	Profile	Features / Options			Fitting Options			System / page						
	Weight Range	kg max.			Profile Number	Gliding Channel (mm)	Min. Bending Radius (mm)	Weight (g/m)	Colour	Recess Profile		Glider	Roller Glider	Quick Clip Glider	Ceiling Fix	Recess Fix	Wall Fix
	6 m	10 kg		6822		3.7	270	194	Silver / White	●		○	●				1020
	6 m	10 kg		1080		3.7	60	136	Silver / White	●			●	●	●		1080
	6 m	10 kg		1280				200	192	Silver / White		●	○	●		●	1280
	6 m	5 kg		6026		6.3	100	85	Silver / White	●			●	●			6026
	6 m	15 kg		6243		5.4	220	153	Silver / White	●	●	○		●			6243
	6 m	15 kg		6103		5.4	300	553	Silver / White	●		○	●			●	6815
	6 m	10 kg		6821		5.4	270	374	Silver / White	●		○	●				6820

Weight Range

Operation

Profile Number

Gliding Channel

Min. Bending Radius (mm)

● Standard Accessories

○ Optional Accessories

クラス

操作方法

レール名称

レール溝幅

最小曲げ半径

標準部品

オプション部品

Weight (g / m)

Color

Recess Profile

Glider

Roller Glider

単重

レール色

埋込用レール

スライド式ランナー

ローラー付ランナー

Quick Clip Glider

Ceiling Fix

Recess Fix

Wall Fix

Fitting with Hanger Rots

後入れランナー






















天井取付


埋込取付


正面取付


吊り棒取付

Application Chart
















Specification	Dimensions		Operation	Profile				Features / Options			Fitting Options			System / page			
	Weight Range	Length		Profile Number	Dimensions in mm	Gliding Channel (mm)	Min. Bending Radius (mm)	Weight (g/m)	Colour	Recess Profile	Glider	Roller Glider	Quick Clip Glider		Ceiling Fix	Recess Fix	Wall Fix
 kg	6 m	14 kg		3841		5.4	200	253	Silver / White	●	○		●				6840
 kg	6 m	14 kg		11190		5.4	260	347	Silver / White	●	○		●				6870
 kg	6 m	38 kg		10850		6.5	250	526	Silver / White			●	●	●	●		6970
 kg	6 m	15 kg		6101		5.4	300	478	Silver / White		●		●		●	●	6100
 kg	6 m	15 kg		6103		5.4	300	553	Silver / White		●		●		●	●	6103
 kg	6 m	14 kg		3841		5.4	200	253	Silver / White	●	○		●				3840
 kg	6 m	14 kg		11190		5.4	260	347	Silver / White	●	○		●				3870

 kg Light-weight applications

 kg Medium-weight applications

 kg Heavy-duty applications

Application Chart

Specification	Dimensions		Operation	Profile	Features / Options		Fitting Options		System / page
	←max.→				Min. Bending Radius (mm)	Colour	Glider	Quick Clip Glider	
	10 m	20 kg		3982 	200 308	Silver / White	● ○ ● ●		3900
	15 m	38 kg		3971 	6.5 250 567	Silver / White	● ● ● ●		3970
	15 m	70 kg		6371 	5.4 500 759	Silver / White	● ● ●		6370
	25 m	65 kg		10850 	6.5 250 526	Silver / White	● ● ● ● ●		5600
	9 m	25 kg		10925 	6.1 500 498	White	● ● ●		5100

Weight Range

Operation

Profile Number

Gliding Channel

Min. Bending Radius (mm)

● Standard Accessories

○ Optional Accessories

クラス

操作方法

レール名称

レール溝幅

最小曲げ半径

標準部品

オプション部品

Weight (g / m)

Color

Recess Profile

Glider

Roller Glider

単重

レール色

埋込用レール

スライド式ランナー

ローラー付ランナー

Quick Clip Glider

Ceiling Fix

Recess Fix

Wall Fix

Fitting with Hanger Rots

後入れランナー





天井取付

埋込取付

正面取付

吊り棒取付


Application Chart


Specification	Dimensions		Operation	Profile						Features / Options			Fitting Options			
	Weight Range	max. kg		Profile Number	Dimensions in mm	Gliding Channel (mm)	Min. Bending Radius (mm)	Weight (g/m)	Colour	Recess Profile	Glider	Roller Glider	Quick Clip Glider	Ceiling Fix	Recess Fix	Wall Fix
 kg	6 m		2116		3.7	100	150	Silver					●		●	
 kg	6 m		2510					Silver					●		●	


System / page

9000




9000

 Light-weight applications

 Medium-weight applications

 Heavy-duty applications




Track load Chart





- このチャートはガイダンスとしてご使用下さい。
- ランナーは10ヶ/m、ブラケットは1ヶ/50cmの計算です。

- カーテン仕様や取付方法によって数値が異なります。詳細は弊社営業にお問い合わせください。

Track load Chart



Track load Chart



- このチャートはガイダンスとしてご使用下さい。
- ランナーは10ヶ/m、ブラケットは1ヶ/50cmの計算です。
- カーテン仕様や取付方法によって数値が異なります。詳細は弊社営業にお問い合わせください。

www.silentgliss.co.jp

Silent Gliss Corporation

Tel: 03 3350 4809
 Tel: 06 6626 2810
 salestokyo@silentgliss.co.jp
 salesosaka@silentgliss.co.jp